

## **180 degree foldable underground use folding barrier gate system**



### **Product Description**

180 degree folding arm barrier gate is available for low headroom application.It is usually used for underground parking lot with height limit.

The max.length supported is 5M, and the operating speed is 3.5-6S.

- Machine core with compression spring, effectively avoids the accidents caused by spring breaking
- Boom with rubber profiles and light reflector for safety and recognition
- Self learning function and encoder controlled movement
- Integrated obstacle detection system for extra safety
- Customized boom lengths
- Easy to integrate with other systems

## Parameter

Color option	Blue / Orange / Gray / Yellow
Operation speed	3.5--6S
Spring And Bearing	Heat Treatment: more durable, more than 5 million times through operation testing
Remote Control Distance	less than 50 meters
Working temperature	-35°C +95°C
G.W	60KG
Power supply	100-240VAC 50-60HZ
Motor power	90W/80W
Max.length of boom	5m


## Fine workmanship and appearance

- 1.5mm cold rolled plate,baking finishing, water-proof, rust proof, dust proof, color fast.
- Excellent appearance, different color for options, widely used in different places.
- Boom length can be customized.



## Multiple control, stable performance

- Remote control the barrier from long distance. When electricity is off, it can be manual released.
- Inside control board, water proof, stable and long running life.
- Easy installation and cabling and maintenance, low noise, quick cooling.



**Strict test before delivery**



## Production site



## Package

