

automatic two fence arm security barrier gate



Product Description

Two fence barrier gate can not only block vehicle passing, but also prevent people and animals from crossing randomly. The structure is more complex and also the operating speed is more slower. It is widely used in the place which does not require rapid access.

- Machine core with compression spring, effectively avoids the accidents caused by spring breaking
- Boom with rubber profiles and light reflector for safety and recognisability
- Self learning function and encoder controlled movement
- Integrated obstacle detection system for extra safety
- Customisable boom lengths
- Easy to integrate with other systems

Parameter

Color option	Blue / Orange / Gray / Yellow
Operation speed	6S
Spring And Bearing	Heat Treatment: more durable, more than 5 million times through operation testing
Remote Control Distance	less than 50 meters
Working temperature	-35°C +95°C
G.W	60KG
Power supply	100-240VAC 50-60HZ
Motor power	90W/80W
Max. Length of boom	4.5m

Guangzhou COMA Electronics Co.,Ltd.

Website:www.coma-carparking.com Email:wilson@cn-coma.com

Accessories Lists

1. Wireless remote controller
2. The key of the cabinet door
3. Bracket supporting long boom
4. Fixing screws


Fine workmanship and appearance

- 1.5mm cold rolled plate,baking finishing, water-proof, rust proof, dust proof, color fast.
- Excellent appearance, different color for options, widely used in different places.
- Boom length can be customized.



Multiple control, stable performance

- Remote control the barrier from long distance. When electricity is off, it can be manual released.
- Inside control board, water proof, stable and long running life.
- Easy installation and cabling and maintenance, low noise, quick cooling.



Production site



Easy installation

